

# Charging Hubs Performance Plus

#### +49 7321 488 7819 (Globe) +971 4 457 8544 (MENA)

- info@formcase-international.com
- www.formcase-international.com
- Made in Germany

Formcase GmbH
Moerikestraße 5
89564 Nattheim
Germany

HQ Formcase International Damac XL Tower 1001 Business Bay, Dubai United Arab Emirates



Scan me

### TransformerHub H16-PD Perf. Plus

Perf. Plus Charging! For up to 16 devices

Article number / SKU: THH16PD65







High-quality premium product. Innovative and well thought-out design.

Perfect for use in the educational or industrial sector.

Also well suited for the healthcare sector.

Intelligent charging hub with automatic charging cut-off (no timer necessary)

-> works as overheating and overcharging protection





### What does "Perf. Plus" mean?

Performance Plus is our most powerful and innovative solution. Developed for highest performance! With 65W per port port, the term "laptop charging solution" takes on a new meaning. Away from power adapters and towards short USB-C cables. Performance creates weight optimisation.

# **Technical specifications**

## TransformerHub H16-PD Perf. Plus

Performance Plus Charging! For up to 16 devices



#### Article number / SKU: THH16PD65

Dimensions (L/W/H)	Length 440 x Width 200 x Height 55mm
Weight	3,3 Kg
Cooling	Active cooling system (2x Fans); max. 31dBA, Air flow: 39m³/h
LED Charging Status Indication	Yes, Charging-> red, - Fully charged-> green
Charging Power / Current	16-port USB-C 4.0 intelligent charging hub with automatic charging cut-off & charge distribution (No timer necessary) -> Also works as overheating and overcharging protection Voltages from (5V - 20V) (65W) per USB port - 100 - 240 V - 50/60 Hz - Total: 1040W Integrated On/Off - (I/O) switch
Synchronisation	No
Power Delivery (USB-C)	Yes
Device Compatibility	Apple iPads + Android Tablets + Windows Devices + MacOS Devices
Connections Inside + Outside	Outside: IEC Socket
Labelling Option	Yes
Cable Management	Yes
Material	Sheet metal + FR-ABS
Delivery Scope:	1x 2m Power cord - (Version depending on the country) 1x Manual
Applied Standards	DIN EN 55022 / DIN EN 61140 / DIN EN 55024 / DIN EN50581 / DIN EN62368-1
Certificates	CE / RoHS / REACH
Customs Tariff Number	85044083
Warranty	1 year manufacturer's warranty (Warranty extension optionally available)
Country of Manufacture	China